

[>grey]

entry high conductivity line for great hi-fi experience

RRP

			incl.VAT
Grey ANALOGUE 2RCA-2RCA 0,75m		basic high conductivity pseudo-balanced interconnect cable	150,00 €
Grey ANALOGUE 2RCA-2RCA 1m			160,00 €
Grey ANALOGUE 2RCA-2RCA 1,5m			180,00 €
Grey ANALOGUE 2RCA-2RCA 2m			200,00 €
extra stereo meter		DE:75% DN:75% SP:80% TM:75% SH:50% VD:75%	40,00 €
Grey BALANCED 2XLR-2XLR 1m		basic high conductivity balanced interconnect cable - great dynamics	260,00 €
Grey BALANCED 2XLR-2XLR 2m			300,00 €
Grey BALANCED 2XLR-2XLR 3m			340,00 €
extra stereo meter		DE:80% DN:75% SP:80% TM:75% SH:50% VD:75%	40,00 €
Grey OPTILINK TOS-TOS 0,7m		high conductivity optical cable - great detail and dynamics (Hand Made in P.R.C.)	35,00 €
Grey OPTILINK TOS-TOS(3.5) 1m		also available as TOS-3,5mm optical minijack	40,00 €
Grey OPTILINK TOS-TOS(3.5) 1,5m		also available as TOS-3,5mm optical minijack	45,00 €
Grey OPTILINK TOS-TOS(3.5) 2m		also available as TOS-3,5mm optical minijack	50,00 €
Grey OPTILINK TOS-TOS 3m			60,00 €
Grey OPTILINK TOS-TOS 5m			75,00 €
Grey OPTILINK TOS-TOS 8m			90,00 €
Grey OPTILINK TOS-TOS 10m		DE:85% DN:85% SP:85% TM:90%	100,00 €
Grey OPTILINK TOS-3.5 ADAPTER		addon 3,5mm minijack adapter for TOSLINK cables (Made in P.R.C.)	5,00 €
Grey R2 SPEAKER 2x1,5m	2020/Q4	basic high conductivity installation SMALL speaker cable with terminals	90,00 €
Grey R2 SPEAKER 2x2m	2020/Q4	(Z-Banana plugs / Spade plugs only on request)	100,00 €
Grey R2 SPEAKER 2x2,5m	2020/Q4	2x18AWG 4N OFC solid conductors without shielding, 5,5mm, transparent	110,00 €
Grey R2 SPEAKER 2x3m	2020/Q4		120,00 €
extra R2 INSTALL single meter			10,00 €
Grey R2 - reel 100m	2020/Q4		1 000,00 €
Grey SPEAKER 2x1,5m		advanced high conductivity shielded speaker cable - great dynamics	120,00 €
Grey SPEAKER 2x2m		(Z-Banana plugs / Spade plugs only on request)	140,00 €
Grey SPEAKER 2x2,5m		2x15AWG solid conductors 1xShield 8mm grey	160,00 €
Grey SPEAKER 2x3m			180,00 €
extra SPEAKER single meter		DE:80% DN:75% SP:80% TM:75% SH:50% VD:75%	20,00 €
Grey LINK Spade-Banana (set4)	2020/Q4	15AWG high conductivity speaker links 4x 0,2m	80,00 €

[>clear]

heavy gauge line for great hi-fi impression

RRP

			incl.VAT
Clear ANALOGUE 2RCA-2RCA 1m		14AWG triple shielded interconnect cable w/ DoubleGround™	250,00 €
extra stereo meter		DE:70% DN:80% SP:70% TM:70% SH:85% VD:80%	120,00 €
Clear POWER 1 m		AMP POWER / 14AWG triple shielded power cable w/ DoubleGround™	160,00 €
Clear POWER 1,2 m		(EU-IEC / CsK-IEC, optional 16A IEC)	172,00 €
Clear POWER 1,5 m		4x 14AWG low stranded 4N OFC conductors 3xShield 11mm silver/transparent	190,00 €
Clear POWER 2 m			220,00 €
extra POWER meter		DE:70% DN:80% SH:85% VD:80%	60,00 €
extra IEC 16A option			30,00 €
D4 distribution box option	new	4x SHUKO sockets + reverse phase detection in shielded 27x6,5x5,5cm box	300,00 €
Clear T2 SPEAKER 2x1,5m SW	2020/Q4	2x 14AWG low stranded shielded speaker cable	140,00 €
Clear T2 SPEAKER 2x2m SW	2020/Q4	(Z-Banana / Spade only on request)	160,00 €
Clear T2 SPEAKER 2x2,5m SW	2020/Q4	also available on 50m spool / unterminated	180,00 €
Clear T2 SPEAKER 2x3m SW	2020/Q4	DE:70% DN:80% SP:70% TM:70% SH:85% VD:80%	200,00 €
extra T2 single meter		2x14AWG low stranded 4N OFC 2xShield 8,5mm alu/transparent	20,00 €
Clear T2 - reel 50m	2020/Q4		1 000,00 €
Clear T4 SPEAKER 2x1,5m SW		2x 11AWG low stranded triple shielded speaker cable	260,00 €
Clear T4 SPEAKER 2x2m SW		the only one available in SBW/BW (Z-Banana / Spade only on request)	320,00 €
Clear T4 SPEAKER 2x2,5m SW		also available on 50m spool / unterminated	380,00 €
Clear T4 SPEAKER 2x3m SW		DE:70% DN:80% SP:70% TM:70% SH:85% VD:80%	440,00 €
extra SPEAKER single meter		4x 14AWG low stranded 4N OFC conductors 3xShield 11mm silver/transparent	60,00 €
SBW single cable extra charge		SingleBiWire (2/4) surcharge to SW per single cable	20,00 €
BW single cable extra charge		BiWire (4/4) surcharge to SW per single cable	40,00 €
Clear T4 - reel 50m			3 000,00 €

				RRP incl.VAT
Black ANALOGUE 2RCA-2RCA 0,75m		high conductivity interconnect cable w/ ImpedanceControl™		280,00 €
Black ANALOGUE 2RCA-2RCA 1m				300,00 €
Black ANALOGUE 2RCA-2RCA 1,5m				350,00 €
Black ANALOGUE 2RCA-2RCA 2m				400,00 €
extra stereo meter		DE:85% DN:85% SP:85% TM:85% SH:90% VD:90%		100,00 €
Black BALANCED 2XLR-2XLR 1m		high conductivity balanced interconnect cable w/ ImpedanceControl™		400,00 €
Black BALANCED 2XLR-2XLR 2m				500,00 €
Black BALANCED 2XLR-2XLR 3m				600,00 €
extra stereo meter		DE:87% DN:85% SP:85% TM:85% SH:90% VD:90%		100,00 €
Black MOBILE 3.5-3.5 0,25m		high conductivity interconnect cable w/ ImpedanceControl™		130,00 €
Black MOBILE 3.5-3.5 0,75m				150,00 €
Black MOBILE 3.5-3.5 1m				160,00 €
Black MOBILE 3.5-3.5 1,5m				185,00 €
extra stereo meter		DE:85% DN:85% SP:85% TM:85% SH:90% VD:90%		50,00 €
Black CONNECT+ 3.5-2RCA 1m	new	high purity X2 interconnect cable w/ ImpedanceControl™		250,00 €
extra stereo meter		DE:85% DN:85% SP:85% TM:85% SH:85% VD:85%		100,00 €
Black HEADPHONE 6.3-2miniXLR 1,5m		XBlack pseudo-balanced interconnect cable w/ ImpedanceControl™		200,00 €
extra stereo meter		DE:80% DN:80% SP:80% TM:80% SH:85% VD:85%		50,00 €
Black HEADPHONE+ 3.5-2mono3.5 1,2m		high purity X2 interconnect cable w/ ImpedanceControl™		280,00 €
Black HEADPHONE+ 6.3-2miniXLR 1,5m		also 6.3/3.5s + HD8XX / HD6XX / 3.5s / 2mono3.5 jack custom connectors		300,00 €
extra stereo meter	new	DE:85% DN:85% SP:85% TM:85% SH:85% VD:85%		100,00 €
Black PHONO+ 2RCA-2RCA 1m	new	high purity X2 phono cable w/ ImpedanceControl™ w/ extra grounding wire		300,00 €
Black PHONO+ 5DIN-2RCA 1,2m	new	also custom 2RCA-2RCA, 2RCA-5DIN(180°) including extra GND lead		320,00 €
extra stereo meter		DE:85% DN:85% SP:85% TM:85% SH:85% VD:85%		100,00 €
Black DIGITAL RCA-RCA 0,7m		75 Ohm non-coaxial design digital S/PDIF cable w/ special non-coaxial connectors		190,00 €
Black DIGITAL RCA-RCA 1m		(also RCA-3.5, BNC-BNC, BNC-RCA, RCA-BNC)		200,00 €
Black DIGITAL RCA-RCA 1,5m				225,00 €
Black DIGITAL RCA-RCA 2m				250,00 €
extra DIGITAL meter		DE:87% DN:87% SP:85% TM:90% SH:90% VD:90%		50,00 €
Black USB (A-B) 0,7m		XBlack digital interconnect cable w/ ImpedanceControl™		190,00 €
Black USB (A-B) 1m				200,00 €
Black USB (A-B) 1,2m				210,00 €
Black USB (A-B) 1,5m				225,00 €
extra USB meter		DE:80% DN:80% SP:80% TM:80% SH:90% VD:85%		50,00 €
Black USB+ (A-B) 0,7m	new	high purity X2 digital interconnect cable w/ ImpedanceControl™		280,00 €
Black USB+ (A-B) 1m	new			300,00 €
Black USB+ (A-B) 1,2m	new			320,00 €
Black USB+ (A-B) 1,5m	new			350,00 €
extra USB+ meter		DE:85% DN:85% SP:85% TM:85% SH:85% VD:90%		100,00 €
Black NET (RJ45) 0,7m		XBlack digital interconnect cable w/ ImpedanceControl™		90,00 €
Black NET (RJ45) 1m				100,00 €
Black NET (RJ45) 1,5m				125,00 €
extra NET meter		DE:80% DN:80% SP:85% TM:85% SH:95% VD:85%		50,00 €
Black POWER C7 1 m	new	SOURCE POWER 2-pole / power cable w/ ImpedanceControl™ (max 3A)		130,00 €
Black POWER C7 1,5 m	new	2x17AWG 4N OFC solid conductors 1xShield		145,00 €
extra POWER C7 meter		DE:85% DN:85% SH:75% VD:80%		30,00 €
Black POWER SRC 1 m	new	SOURCE POWER / X2 power cable w/ ImpedanceControl™ (max 3A)		170,00 €
Black POWER SRC 1,5 m	new	2x17AWG 4N OFC solid N+L / 14AWG 4N OFC solid GND conductors 1xShield		200,00 €
extra POWER SRC meter		DE:85% DN:85% SH:75% VD:80%		60,00 €
extra expandable sleeve braid meter		BLACK or WHITE color outer cable sleeve		10,00 €
Black POWER+ 1 m	new	AMP POWER / X3 power cable w/ ImpedanceControl™ (max 16A)		250,00 €
Black POWER+ 1,5 m	new	3x14AWG 4N OFC solid conductors, separately shielded		300,00 €
extra POWER+ meter		DE:85% DN:95% SH:75% VD:85%		100,00 €
extra IEC 16A option				30,00 €
extra expandable sleeve braid meter		BLACK or WHITE color outer cable sleeve		10,00 €
D4 distribution box option	new	4x SHUKO sockets + reverse phase detection in shielded 27x6,5x5,5cm box		350,00 €

[>black]

		precision high conductivity line for middle class hi-fi systems	RRP incl.VAT
Black Xspeaker 2x1,5m		2x17AWG shielded SMALL speaker cable w/ ImpedanceControl™	170,00 €
Black Xspeaker 2x2m		2x17AWG 4N OFC solid conductors 1xShield 6mm pearl black	200,00 €
extra R2 (Xspeaker) single meter		DE:85% DN:85% SP:85% TM:85% SH:90% VD:90%	30,00 €
Black R2 - reel 100m	new	2x18AWG high conductivity shielded CL3 installation cable OD: 6mm	3 000,00 €
Black SPEAKER 2x1,5m		2x13AWG double shielded X2 speaker cable w/ ImpedanceControl™	300,00 €
Black SPEAKER 2x2m		2x13AWG 4N OFC solid conductors 2xShield 7+7mm pearl black	400,00 €
Black SPEAKER 2x2,5m		(Z-Banana plugs / Spade plugs only on request)	500,00 €
Black SPEAKER 2x3m		now also available in pearl white on demand	600,00 €
extra SPEAKER single meter		DE:85% DN:85% SP:85% TM:85% SH:90% VD:90%	100,00 €
extra expandable sleeve braid single meter		BLACK or WHITE color outer cable sleeve	10,00 €
Black LINK Spade-Banana (set4)		13AWG high conductivity 2x shielded speaker links 4x 0,2m	150,00 €

[>white]

		high-end low capacity highest purity line for fast systems	RRP incl.VAT
White ANALOGUE 2RCA-2RCA 0,75m		highest purity OCC copper pseudo-balanced interconnect cable	460,00 €
White ANALOGUE 2RCA-2RCA 1m			500,00 €
White ANALOGUE 2RCA-2RCA 1,5m			600,00 €
extra stereo meter		DE:95% DN:90% SP:97% TM:95% SH:95% VD:95%	200,00 €
White BALANCED 2XLR-2XLR 1m		highest purity OCC copper balanced interconnect w/ ImpedanceControl™	600,00 €
White BALANCED 2XLR-2XLR 2m			800,00 €
White BALANCED 2XLR-2XLR 3m			1 000,00 €
extra stereo meter		DE:95% DN:90% SP:97% TM:95% SH:95% VD:95%	200,00 €
White MOBILE 3.5-3.5 0,25m		highest purity minijack cable w/ ImpedanceControl™	200,00 €
White MOBILE 3.5-3.5 0,75m			260,00 €
White MOBILE 3.5-3.5 1m			300,00 €
extra stereo meter		DE:95% DN:90% SP:95% TM:90% SH:95% VD:95%	150,00 €
White CONNECT 3.5-2RCA 1m		highest purity X2 interconnect cable w/ ImpedanceControl™	400,00 €
White CONNECT 3.5-2RCA 1,5m			500,00 €
extra stereo meter		DE:95% DN:90% SP:95% TM:90% SH:95% VD:95%	200,00 €
White HEADPHONE 6.3-2miniXLR 1,5m		highest purity X2 headphone cable w/ ImpedanceControl™	500,00 €
White HEADPHONE 6.3-2miniXLR 2m			600,00 €
extra stereo meter		also available 6.3/3.5s + HD8XX / HD6XX / mono3.5 jack custom connectors	200,00 €
White PHONO 2RCA-2RCA 1m	new	highest purity X2 phono cable w/ ImpedanceControl™ w/ extra grounding wire	500,00 €
White PHONO 5DIN-2RCA 1,2m	new	also custom 2RCA-2RCA, 2RCA-5DIN(180°) including extra GND lead	540,00 €
extra stereo meter			200,00 €
White USB (A-B) 0,7m		highest purity X2 digital interconnect cable w/ ImpedanceControl™	460,00 €
White USB (A-B) 1m			500,00 €
White USB (A-B) 1,2m			540,00 €
White USB (A-B) 1,5m			600,00 €
extra USB meter		DE:95% DN:90% SP:95% TM:90% SH:90% VD:95%	200,00 €
White USB (2A-B) 1,2m		highest purity X2 digital USB 2A-B cable w/ separate power and data	590,00 €
extra USB meter		DE:95% DN:90% SP:95% TM:90% SH:90% VD:97%	200,00 €
White POWER SRC 1 m		SOURCE POWER / highest purity power cable w/ ImpedanceControl™ (max 3A)	250,00 €
White POWER SRC 1,5 m		also availavle as EU-C7 version	300,00 €
extra SRC POWER meter		DE:90% DN:80% SH:95% VD:95%	100,00 €
White POWER+ 1 m		AMP POWER / highest purity power cable w/ ImpedanceControl™ (max 10A)	400,00 €
extra AMP POWER meter		DE:90% DN:90% SH:95% VD:95%	200,00 €
White Xspeaker 2x1,5m	2020/Q4	2x17AWG 3x shielded high-end SMALL speaker cable w/ ImpedanceControl™	260,00 €
White Xspeaker 2x2m	2020/Q4	17AWG 7N OCC / 4N OFC solid conductors 3xShield 6mm pearl white	320,00 €
extra R2 (Xspeaker) single meter			60,00 €
White R2 - reel 100m	2020/Q4	2x17AWG high-end tripple shielded CL3 installation cable OD: 6mm	6 000,00 €
White SPEAKER 2x1,5m		14/13AWG tripple shielded high-end speaker cable w/ ImpedanceControl™	450,00 €
White SPEAKER 2x2m		14AWG 7N OCC / 13AWG 4N OFC solid conductors 3xShield 2x7,5mm	600,00 €
White SPEAKER 2x2,5m		(Z-Banana plugs / Spade plugs only on request)	750,00 €
extra SPEAKER single meter		DE:95% DN:90% SP:95% TM:95% SH:95% VD:95%	150,00 €
extra expandable sleeve braid single meter		BLACK or WHITE color outer cable sleeve	10,00 €
White LINK Spade-Banana (set4)		14/13AWG high-end 3x shielded speaker links w/ ImpedanceControl™ 4x0,2m	200,00 €

in stock on order DE - DETAIL, DN - DYNAMICS, SP - SPECTRUM, TM - TIMING, SH - SHIELD, VD - VIBR.DUMPING

[>superblack]

		high coherence line for well balanced high-end systems	RRP incl.VAT
SuperBlack ANALOGUE 2RCA-2RCA 1m		high conductivity 3x shielded pseudo-balanced interconnect cable	700,00 €
SuperBlack ANALOGUE 2RCA-2RCA 1,5m			950,00 €
extra stereo meter		DE:90% DN:90% SP:90% TM:95% SH:95% VD:95%	500,00 €
SuperBlack BALANCED 2XLR-2XLR 1m		high conductivity 3x shielded balanced cable w/ ComplexDesign™	1 000,00 €
SuperBlack BALANCED 2XLR-2XLR 2m			1 500,00 €
SuperBlack BALANCED 2XLR-2XLR 3m			2 000,00 €
extra stereo meter		DE:95% DN:95% SP:92% TM:95% SH:95% VD:95%	500,00 €
SuperBlack BALANCED+ 2XLR-2XLR 1m		high conductivity 3x shielded balanced cable w/ DoubleGround™	1 200,00 €
extra stereo meter		DE:95% DN:95% SP:92% TM:95% SH:95% VD:95%	600,00 €
SuperBlack (ULT) DIGITAL RCA-RCA 1m		75 Ohm digital S/PDIF ultimate X2 cable (also available with BNC)	500,00 €
SuperBlack DIGITAL SE RCA-RCA 1m	new	special edition with ultra-low resistance AECO connectors	550,00 €
extra DIGITAL meter		DE:95% DN:95% SP:95% TM:92% SH:90% VD:95%	200,00 €
SuperBlack (ULT) USB (2A-B) 1,2m		ultimate X2 digital USB 2A-B (2.0) cable w/ separate power and data	740,00 €
extra USB meter		DE:95% DN:97% SP:95% TM:92% SH:90% VD:95%	200,00 €
SuperBlack POWER 0,75 m		AMP POWER / 15AWG high conductivity 3x shielded power cable w/ NaturalFilter™	480,00 €
SuperBlack POWER 1 m		(EU-IEC)	500,00 €
SuperBlack POWER 1,2 m			550,00 €
SuperBlack POWER 1,5 m			625,00 €
SuperBlack POWER 2 m			750,00 €
extra POWER meter		DE:87% DN:90% SH:95% VD:95%	250,00 €
extra IEC 16A option			30,00 €
D4 distribution box option	new	4x SHUKO sockets + reverse phase detection in shielded 27x6,5x5,5cm box	400,00 €
SuperBlack POWER+ 1 m		AMP POWER / 15AWG high conductivity 3x shielded power cable w/ DoubleGround™	600,00 €
extra POWER+ meter		DE:90% DN:95% SH:95% VD:95%	300,00 €
extra IEC 16A option			30,00 €
D4 distribution box option		4x SHUKO sockets + reverse phase detection in shielded 27x6,5x5,5cm box	400,00 €
SuperBlack SPEAKER 2x1,5m		2x 12AWG high conductivity 3x shielded speaker cable w/ ComplexDesign™	900,00 €
SuperBlack SPEAKER 2x2m			1 200,00 €
SuperBlack SPEAKER 2x2,5m			1 500,00 €
SuperBlack SPEAKER 2x3m		(Z-Banana plugs / Spade plugs only on request)	1 800,00 €
extra SPEAKER single meter		DE:95% DN:95% SP:92% TM:95% SH:95% VD:95%	300,00 €
SuperBlack LINK Spade-Banana (set4)		2x10AWG high conductivity 2x shielded speaker links 4x0,2m	300,00 €

[>reference]

		reference white line for ultra high-end systems	RRP incl.VAT
Reference ANALOGUE 2RCA-2RCA 1m		highest purity 4x shielded interconnect cable w/ ComplexDesign™	1 800,00 €
extra stereo meter		DE:99% DN:98% SP:98% TM:97% SH:99% VD:99%	1 000,00 €
Reference BALANCED 2XLR-2XLR 1m		highest purity 4x shielded balanced interconnect cable w/ ComplexDesign™	2 000,00 €
extra stereo meter		DE:98% DN:99% SP:98% TM:97% SH:99% VD:99%	1 000,00 €
Reference USB (2A-B) 1,2m		highest purity X2 digital USB A-B (2.0) cable w/ separate data/power	980,00 €
extra USB meter		DE:99% DN:99% SP:99% TM:97% SH:95% VD:95%	400,00 €
Reference POWER 1 m		highest purity 4x shielded power cable w/ ComplexDesign™	800,00 €
extra POWER meter		DE:99% DN:98% SH:90% VD:95%	500,00 €
extra IEC 16A option			30,00 €
D4 distribution box option	new	4x SHUKO sockets + reverse phase detection in shielded 27x6,5x5,5cm box	500,00 €
Reference POWER+ 1 m		highest purity high-gauge X3 power cable w/ DoubleGround™ and special connectors	1 200,00 €
extra POWER+ meter		DE:99% DN:99% SH:95% VD:98%	600,00 €
extra expandable sleeve braid meter		BLACK or WHITE color outer cable sleeve - Free Of Charge on demand	0,00 €
D4 distribution box option	new	4x SHUKO sockets + reverse phase detection in shielded 27x6,5x5,5cm box	600,00 €
Reference SPEAKER 2x1m		12AWG highest purity 4x shielded speaker cable w/ ComplexDesign™	1 200,00 €
Reference SPEAKER 2x1,5m		for fast ultra high-end systems	1 500,00 €
Reference SPEAKER 2x2m			2 000,00 €
Reference SPEAKER 2x2,5m		(Z-Banana plugs / Spade plugs only on request)	2 500,00 €
extra SPEAKER single meter		DE:99% DN:99% SP:98% TM:99% SH:95% VD:95%	500,00 €
Reference LINK Spade-Banana (set4)		highest purity speaker links w/ ImpedanceControl™ 4x0,2m	400,00 €

in stock	on order	DE - DETAIL, DN - DYNAMICS, SP - SPECTRUM, TM - TIMING, SH - SHIELD, VD - VIBR.DUMPING
----------	----------	--

[>accessories]

			RRP incl.VAT
SHOPPING BAG S		thick 100% cotton 26x33cm w/ handle, black color w/ white logo printing	3,50 €
SHOPPING BAG M	new	thick 100% cotton 30x40cm w20cm handle, black color w/ white logo printing	4,00 €
ROUND BAG 30		black round bag with zipper 30x2cm w/ small handle w/logo	15,00 €
ROUND BAG 40		black round bag with 2 zippers 40x5cm w/ bigger handle w/logo	20,00 €
Black GROUND LEAD spade-spade 1,2m		fine stranded 20AWG OFC insulated wire, 3mm OD, black color	20,00 €
White GROUND LEAD spade-spade 1,2m		fine stranded 20AWG OFC insulated wire, 3mm OD, white color	20,00 €
extra GROUND LEAD meter			10,00 €
Black USB POWER (A-5.5) 0,2m	new	high purity USB power cable w/ ImpedanceControl™ for DAC1	30,00 €
extra USB power meter		DE:85% DN:85% SH:75% VD:80%	50,00 €
White USB POWER (A-5.5) 0,2m	new	highest purity OCC USB power cable w/ ImpedanceControl™ for DAC1	60,00 €
extra USB power meter		DE:95% DN:90% SP:95% TM:90% SH:90% VD:95%	100,00 €
SCALE5 - phono cartridge force scale		0-5g high precision +/-0.01g auto calibration scale, black color (Made in P.R.C.)	35,00 €
DAC1 - D/A converter		TOSLINK / COAX input with autosense, RCA output, 5V adapter (Made in P.R.C.)	35,00 €
USB3.0-A(F)/USB-C(M) OTG adapter		adapter for high-end cables for Your PC/tablet/phone with USB-C (Made in P.R.C.)	6,00 €
USB2.0-A(F)/microUSB(M) OTG adapter		adapter for high-end cables for Your PC/tablet/phone's microUSB (Made in P.R.C.)	6,00 €

in stock	on order	DE - DETAIL, DN - DYNAMICS, SP - SPECTRUM, TM - TIMING, SH - SHIELD, VD - VIBR.DUMPING
----------	----------	--

Worldwide Distribution & Export: 4CE Distribution, s.r.o. +421 904 99 88 99 sales@cable4.eu www.cable4.eu
 RRP including VAT all other prices net. All cables with extra meter option possible in any length longer than minimum on price-list.
 Minimum first order of 5.000,-Eur is required to qualify for Export pricing. Other conditions and requirements may apply.
 [> high-end audio cables and accessories designed and handbuilt with passion in Slovakia] **www.cable4.eu**